



Product Service

CERTIFICATE

No. Z1A 005573 0003 Rev. 00

Holder of Certificate: Tiscotex N.V.

Zwaarveld 33
9220 Hamme
BELGIUM

Certification Mark:



Product:

Lashing Belts

Model(s):

DR54TST, DR55TST, DR55TSTER

Parameters:

Model:	DR54TST	DR55TST	DR55TSTER
Lashing capacity (daN):	2000	2500	2500
Textile webbing (mm):	50×2.04	50×2.49	50×2.49
Material:			
Textile webbing:	PES	PES	PES

Tested according to: EK5/AK6 18-01:2018
EN 12195-2:2000
AfPS GS 2019:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 701281885701-01

Valid until: 2026-05-24

Date, 2021-06-09

(Junjie (Steven) Xu)



Product Service

CERTIFICATE

No. Z1A 005573 0004 Rev. 00

Holder of Certificate: Tiscotex N.V.

Zwaarveld 33
9220 Hamme
BELGIUM

Certification Mark:



Product:

Lashing Belts

Model(s):

DR54TECO, DR55TECO, DR55TECOER

Parameters:

Model:	DR54TECO	DR55TECO	DR55TECOER
Lashing capacity (daN):	2000	2500	2500
Textile webbing (mm):	50×2.04	50×2.49	50×2.49
Material:			
Textile webbing:	PES	PES	PES

Tested according to: EK5/AK6 18-01:2018
EN 12195-2:2000
AfPS GS 2019:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 701281885702-01

Valid until: 2026-05-24

Date, 2021-06-09

(Junjie (Steven) Xu)

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 50668040 0001

Berichtsnummer *Report No.:*

15048777 010

Genehmigungsinhaber *License Holder:*

Tiscotex NV
Zwaarveld 33,
9220 Hamme,
Belgium

Fertigungsstätte *Manufacturing Site:*

040-0002164904

Prüfzeichen *Test Mark:*

Geprüft nach *Tested according to:*

EK5/AK6 18-01:2018

Geräteidentifikation

Product Identification

Produkt:

Zurrgurt

Product:

(Ratchet Tie Down)

Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:

Type designation(s) are listed on the next page(s)

Technische Daten:

Technische Daten sind auf nächste(r) Seite(n) gelistet

Technical Data:

Technical Data(s) are listed on the next page(s)

Gültig bis:

2027-08-28

Date of expiry:
Gültig ab:

2025-04-08

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2025-04-08

Date of issue:

 Dipl.-Ing. (TU) G. Reimann
 


Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 des
Produktsicherheitsgesetzes.
*This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.*

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com

TÜVRheinland®
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 50668040 0001

Berichtsnummer *Report No.:*

15048777 010

Produkt *Product:*

 Zurrgurt
(Ratchet Tie Down)

Modell *Type:*
Bezeichnung *Designation:*

 TT25005E ; TT25008 ; TT25008E ; TT25015 ;
 TT35020 ; TT50040 ; TT50050 ; TT50050 Ergo ;
 TT75100

Bezeichnung : (Type Designation)	Zurirkraft(LC): (Lashing Capacity)	Länge(LGF): (Length)	Länge(LGL): (Length)
TT25008	400daN	0.3~1.5m	1~30m
TT25015	750daN	0.3~1.5m	1~30m
TT35020	1000daN	0.3~1.5m	1~30m
TT50040	2000daN	0.3~1.5m	1~30m
TT50050	2500daN	0.3~1.5m	1~30m
TT50050 Ergo	2500daN	0.3~1.5m	1~30m
TT75100	5000daN	0.3~1.5m	1~30m

Bezeichnung : (Type Designation)	Zurirkraft(LC): (Lashing Capacity)	Länge(LG): (Length)
TT25008E	800 daN in der Umreifung /(in round)	1~30m
TT25005E	500 daN in der Umreifung /(in round)	1~30m

Anmerkung: in Anlehnung an EN 12195-2, siehe Bericht für Details.

(Remark: Based on EN 12195-2, see report for details.)



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 50669859 0001

Berichtsnummer *Report No.:*

50319782 015

Genehmigungsinhaber *License Holder:*

Tiscotex NV
Zwaarveld 33,
9220 Hamme,
Belgium

Fertigungsstätte *Manufacturing Site:*

040-0002017368

Prüfzeichen *Test Mark:*

Geprüft nach *Tested according to:*

EK5/AK6 18-01:2018

AfPS GS 2019:01 PAK

Geräteidentifikation
Product Identification
Produkt:

Zurrgurt

Product:

(Ratchet Tie Down; Buckle Tie Down; Auto-Retractable Tie Down)

Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:

Type designation(s) are listed on the next page(s)

Technische Daten:

Technische Daten sind auf nächste(r) Seite(n) gelistet

Technical Data:

Technical Data(s) are listed on the next page(s)

Gültig bis:

2030-04-07

Date of expiry:
Gültig ab:

2025-04-16

Valid from:
Zertifizierungsstelle:
Certification body:
Ausstellungsdatum:

2025-04-16

Date of issue:

 Dipl.-Ing. (FH) Matthias Grzam
 


Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 des
Produktsicherheitsgesetzes.
*This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.*

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com

TÜVRheinland®
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 50669859 0001

Berichtsnummer *Report No.:*

50319782 015

Produkt *Product:*

Zurrgurt

(Ratchet Tie Down; Buckle Tie Down; Auto-Retractable Tie Down)

Modell *Type:*
Bezeichnung *Designation:*

Zurrgurt (Ratchet Tie Down)

Bezeichnung :

(Type Designation)

Zurrkraft(LC):

(Lashing Capacity)

Länge(LGF):

(Length)

Länge(LGL):

(Length)

TT25001	2500 daN	0.2~3 m	0.3~30 m
TT25002	2500 daN	0.2~3 m	0.3~30 m
TT25003	2500 daN	0.2~3 m	0.3~30 m
TT25004	2500 daN	0.2~3 m	0.3~30 m
TT25005	2500 daN	0.2~3 m	0.3~30 m
TTE25001	2500 daN	0.2~3 m	0.3~30 m
TTE25002	2500 daN	0.2~3 m	0.3~30 m
TTE25003	2500 daN	0.2~3 m	0.3~30 m
TTE25004	2500 daN	0.2~3 m	0.3~30 m
TTE25005	2500 daN	0.2~3 m	0.3~30 m
TT20001	2000 daN	0.2~3 m	0.3~30 m
TT20002	2000 daN	0.2~3 m	0.3~30 m
TT20003	2000 daN	0.2~3 m	0.3~30 m
TT20004	2000 daN	0.2~3 m	0.3~30 m
TT20005	2000 daN	0.2~3 m	0.3~30 m
TTE20001	2000 daN	0.2~3 m	0.3~30 m
TTE20002	2000 daN	0.2~3 m	0.3~30 m
TTE20003	2000 daN	0.2~3 m	0.3~30 m
TTE20004	2000 daN	0.2~3 m	0.3~30 m
TTE20005	2000 daN	0.2~3 m	0.3~30 m
TT10001	1000 daN	0.2~3 m	0.3~30 m
TT10002	1000 daN	0.2~3 m	0.3~30 m
TT10003	1000 daN	0.2~3 m	0.3~30 m
TT10004	1000 daN	0.2~3 m	0.3~30 m
TT10005	1000 daN	0.2~3 m	0.3~30 m
TT7501	750 daN	0.1~3 m	0.3~30 m
TT7502	750 daN	0.1~3 m	0.3~30 m
TT7503	750 daN	0.1~3 m	0.3~30 m
TT4001	400 daN	0.1~3 m	0.3~30 m
TT4002	400 daN	0.1~3 m	0.3~30 m
TT4003	400 daN	0.1~3 m	0.3~30 m
TTE250061	2500 daN	0.2-3 m	0.3-30 m
TTE250063	2500 daN	0.2-3 m	0.3-30 m
TTE250064	2500 daN	0.2-3 m	0.3-30 m
TTE250062	2500 daN	0.2-3 m	0.3-30 m

Bezeichnung :

(Type Designation)

Zurrkraft(LC):

(Lashing Capacity)

Länge(LG):

(Length)

TT2500L	5000 daN umreift (in round)	0.3~30 m
TTE2500L	5000 daN umreift (in round)	0.3~30 m
TT2000L	4000 daN umreift (in round)	0.3~30 m
TTE2000L	4000 daN umreift (in round)	0.3~30 m
TT1000L	2000 daN umreift (in round)	0.3~30 m
TT750L	1500 daN umreift (in round)	0.3~30 m
TT400L	800 daN umreift (in round)	0.3~30 m

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 50669859 0001

Berichtsnummer *Report No.:*

50319782 015

Produkt *Product:*

Zurrgurt

(Ratchet Tie Down; Buckle Tie Down; Auto-Retractable Tie Down)

Modell *Type:*
Bezeichnung *Designation:*

Zurrgurt (Auto-retractable tie down)

Bezeichnung : (Type Designation)	Zurrkraft(LC): (Lashing Capacity)	Länge(LGF): (Length)	Länge(LGL): (Length)
TTR10001	1000 daN	0.2-3 m	0.3-5 m
TTR10002	1000 daN	0.2-3 m	0.3-5 m
TTR10003	1000 daN	0.2-3 m	0.3-5 m

Zurrgurt (Mini auto-retractable tie down)

Bezeichnung : (Type Designation)	Zurrkraft(LC): (Lashing Capacity)	Länge(LGF): (Length)	Länge(LGL): (Length)
TTR3501	350 daN	0.2-3 m	0.3-5 m
TTR3502	350 daN	0.2-3 m	0.3-5 m
TTR3503	350 daN	0.2-3 m	0.3-5 m

Zurrgurt (Buckle Tie Down)

Bezeichnung : (Type Designation)	Zurrkraft(LC): (Lashing Capacity)	Länge(LGF): (Length)	Länge(LGL): (Length)
TTC250-1	250 daN	0.1-3 m	0.3-30 m
TTC250-2	250 daN	0.1-3 m	0.3-30 m

Bezeichnung : (Type Designation)	Zurrkraft(LC): (Lashing Capacity)	Länge(LG): (Length)
TTC250L	500 daN umreift (in round)	0.3~30m
TTC250	250 daN umreift (in round)	0.2~30m
TTC350	350 daN umreift (in round)	0.2~30m

Anmerkungen: Die oben aufgeführte Prüfgrundlage enthält die Anforderungen nach EN 12195-2:2000 und zusätzliche Anforderungen des EK5/AK6.

(Remark: The test standard above contains requirements of EN 12195-2:2000 and additional requirements of EK5/AK6.)





Product Service

CERTIFICATE

No. Z1 005573 0005 Rev. 00

Holder of Certificate: Tiscotex N.V.Zwaarveld 33
9220 Hamme
BELGIUM**Certification Mark:****Product:****Clamping tools
Cargo bar and cargo plank****Model(s):****60384-CB01, 60539-CPK01****Parameters:**

Model:	60384-CB01	60539-CPK01
F _{max} Clamping capacity (daN):	130	250
F _{max} Blocking capacity (daN):	200	400
Net weight (kg):	4.0	6.9

Tested according to: PPP 50021B:2021

The product was tested on a voluntary basis and complies with the essential requirements.
The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier.
All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 701282390601-00**Valid until:** 2026-09-15**Date,** 2023-11-09
(Junjie (Steven) Xu)



Product Service

CERTIFICATE

No. Z1 122182 0001 Rev. 00

Holder of Certificate: Qingdao Zhongjia Cargo Control Co., Ltd.


Waziqu Village, Nancun Town, Pingdu City

266738 Qingdao, Shandong

PEOPLE'S REPUBLIC OF CHINA

Certification Mark:**Product:****Clamping tools****Cargo bar and cargo plank**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 704352312401-00**Valid until:** 2028-09-25**Date,** 2023-09-27
(Junjie (Steven) Xu)



Product Service

CERTIFICATE

No. Z1 122182 0001 Rev. 00

Model(s): CB1203S, CB1804AH, CLP1102, CLP1110, CLP1301, JB2001S, CB1404SH

Parameters:

Model:	CB1203S	CB1804AH	CLP1102	CLP1110
F _{max} Clamping capacity (daN):	130	125	350	350
F _{max} Blocking capacity (daN):	200	200	500	420
Net weight (kg):	4.5	4.0	8.0	6.5
Model:	CLP1301	JB2001S	CB1404SH	
F _{max} Clamping capacity (daN):	100	100	130	
F _{max} Blocking capacity (daN):	240	240	240	
Net weight (kg):	7.2	6.3	5.3	

Tested according to: PPP 50021B:2021